



Formulation Additives by NAC Revision 9 March, 2025

NAC-L 3033

Slip and Leveling additive (Solvent Based)

Silicon-based very effective slip and leveling additive, which increases slip and surface smoothness. It has excellent compatibility properties, making it very suitable for use in clear coatings, improves leveling increases scratch resistance, and prevents cratering.

Product Data

Composition: Modified polysiloxanes

Typical Properties:

Note: This information is intended as a guideline only and should not be used to issue specifications. Slight deviations do not affect application and capability of the product.

Physical Form: clear, colorless liquid

Active Content: 15%

Applications

Applications > Recommended for > Particularly Recommended:

Coatings > Solvent-based systems

> All kinds of resin systems

Recommended Levels:

Note: The properties and performance of the additive are greatly dependent upon the specific formulation in which it is utilized and, consequently, should always be tested (possibly at different treatment levels, temperatures, and/or time intervals) to verify performance before use.

Based on

Total formulation weight: 0.3-1%

Special Feature:

The additive offers broad compatibility.

Storage:

should be stored in a cool dry place

Our technical suggestions are based on data from many experiments and cannot represent a warranty of any kind as to their performance in other formulations. Customers must always verify our product's performance in their own systems. This technical data sheet replaces all previous issues.